



# **Nuclear Medicine Technologist Scope of Practice and Performance Standards**

**Prepared by: Society of Nuclear Medicine and  
Molecular Imaging Technologist Section  
Approved:**

1 **Overview of Document**

2  
3 This document includes the Scope of Practice and the Performance Standards for health care  
4 professionals that, for the purposes of this document, will be referred to as a nuclear  
5 medicine technologist.

6  
7 The spectrum of responsibilities for a nuclear medicine technologist varies widely across  
8 the United States. Practice components presented in this document include what is taught in  
9 Nuclear Medicine programs, tested by accrediting organizations, and practiced in the field.  
10 This document provides a basis for establishing the areas of knowledge and performance for  
11 the nuclear medicine technologist.

12  
13 The nuclear medicine technologist **MUST BE IN COMPLIANCE WITH ALL FEDERAL,**  
14 **STATE, AND INSTITUTIONAL GUIDELINES** including proper documentation of initial  
15 and continued competency in those practices and activities.

16  
17 Continuing education is a necessary component in maintaining the skills required to perform  
18 all duties and tasks of the nuclear medicine technologist in this ever-evolving field.

19  
20 **Limitation of Scope and Disclaimer**

21  
22 This document is intended to set forth the standards in important areas of the nuclear  
23 medicine technologist's responsibilities. It may not cover all areas which may present  
24 themselves in actual practice. These standards do not supersede the judgment of the  
25 individual nuclear medicine technologist and other healthcare professionals serving the  
26 patient in light of all of the facts of the individual case. **THE SOCIETY OF NUCLEAR**  
27 **MEDICINE AND MOLECULAR IMAGING AND THE SOCIETY OF NUCLEAR**  
28 **MEDICINE AND MOLECULAR IMAGING TECHNOLOGIST SECTION DISCLAIM**  
29 **ALL LIABILITY ARISING FROM USE OF THESE DOCUMENTS.**

30  
31 **Overview**

32  
33 Nuclear medicine is a medical technology that utilizes sealed and unsealed radioactive  
34 materials for diagnostic, treatment, and research purposes. Nuclear medicine instrumentation  
35 may be combined with, computed tomography (CT), magnetic resonance imaging (MRI), or  
36 other modalities to produce three-dimensional images with or without adjunctive and other  
37 imaging medications to enhance the evaluation of physiological processes at a molecular  
38 level.

39  
40 **Technologist Qualified to Perform Nuclear Medicine Procedures**

41  
42 Under the supervision of an authorized user, the nuclear medicine technologist is  
43 responsible for the safe use of ionizing and nonionizing radiation and molecular imaging for  
44 diagnostic, therapeutic, and research purposes. The technologist will review the patient's  
45 medical history to understand the patient's illness, medical issue, and pending diagnostic or  
46 treatment procedure; instruct the patient before, during, and following the procedure;

47 evaluate the satisfactory preparation of the patient before beginning a procedure; and  
48 recognize emergency patient conditions and initiate lifesaving first aid when appropriate.

49  
50 Administrative functions may include supervising other technologists, students, and other  
51 personnel; participating in procuring supplies and equipment; documenting laboratory  
52 operations; participating in radiation safety protocols and taking an active role in radiation  
53 reduction programs; participating in departmental inspections conducted by various licensing,  
54 regulatory, and accrediting agencies; participating in departmental quality assurance or  
55 quality improvement projects; and participating in scheduling patient procedures.

56  
57 A certified nuclear medicine technologist is an individual who is registered or certified by the  
58 Nuclear Medicine Technology Certification Board (NMTCB), the American Registry of  
59 Radiologic Technologists (ARRT), Canadian Association of Medical Radiation  
60 Technologists (CAMRT), and/or any other certification board accepted by your state or  
61 institution. A certified nuclear medicine technologist is qualified to perform general nuclear  
62 medicine procedures, nuclear medicine therapy, nuclear cardiology procedures, nuclear  
63 breast procedures, positron emission tomography (PET) procedures, and CT attenuation  
64 correction and localization at entry level. An advanced certification in CT through the  
65 NMTCB, ARRT, CAMRT, and/or any other certification board accepted by your state or  
66 institution qualifies a certified nuclear medicine technologist to perform diagnostic CT. A  
67 certified nuclear medicine technologist is qualified to perform PET/MR with training and  
68 education in MR.

69

### 70 **Education**

71 Nuclear Medicine Technologists may complete a one- or two- year certificate program, a  
72 two-year associate's degree, bachelor's degree or Master's Degree. Didactic courses include  
73 but are not limited to the physical sciences, biological effects of radiation exposure, radiation  
74 protection, radiation procedures, CT anatomy and physics, the use of radiopharmaceuticals,  
75 adjunctive medications, imaging medication, imaging techniques, and computer applications.  
76 A structured clinical education component provides experience in the clinical environment.  
77 Clinical education is designed to meet the requirements of the certification exams. Graduates  
78 of accredited programs are eligible to sit for certification examinations offered by the  
79 NMTCB, ARRT, and/or any other certification board accepted by your state or institution.  
80 The Joint Review Committee on Education Programs in Nuclear Medicine Technology  
81 accredits training programs in nuclear medicine technology.

82

### 83 **Licensure**

84 Requirements for licensure of all imaging technologists vary from state to state, so it is  
85 important that technologists check the requirements of the state in which they plan to work.

86

### 87 **Certification**

88 Certification is available from the NMTCB, ARRT, and/or any other certification board  
89 accepted by your state or institution

90

### 91 **Continuing Education**

92 In addition to the general certification requirements, certified technologists also must

93 complete a certain number of continuing education hours to maintain certification.  
94 Continuing education is required because of the frequent technological and  
95 radiopharmaceutical innovations.

96  
97

98  
99

### Code of Ethics

100 Technologists qualified to perform nuclear medicine procedures are members of the health  
101 care profession and must strive as individuals and as a group to maintain the highest ethical  
102 standards by adhering to the *Nuclear Medicine Technologist Code of Ethics* approved by the  
103 *Society of Nuclear Medicine and Molecular Imaging Technologist Section (SNMMITS)*.

104

105 The principles of the *Nuclear Medicine Technologist Code of Ethics* as listed below are not  
106 laws, but standards of conduct to be used as ethical guidelines by nuclear medicine  
107 technologists.

108

#### Principle 1

110 The nuclear medicine technologist will provide services with compassion and respect for  
111 the dignity of the individual and with the intent to provide the highest quality of patient  
112 care.

113

#### Principle 2

115 The nuclear medicine technologist will provide care without discrimination regarding the  
116 nature of the illness or disease, gender, race, religion, sexual preference, or  
117 socioeconomic status of the patient.

118

#### Principle 3

120 The nuclear medicine technologist will maintain strict patient confidentiality in  
121 accordance with state and federal regulations.

122

#### Principle 4

124 The nuclear medicine technologist will comply with the laws, regulations, and policies  
125 governing the practice of nuclear medicine.

126

#### Principle 5

128 The nuclear medicine technologist will continually strive to improve his or her  
129 knowledge and technical skills.

130

#### Principle 6

132 The nuclear medicine technologist will not engage in fraud, deception, or criminal  
133 activities.

134

#### Principle 7

136 The nuclear medicine technologist will be an advocate for his or her profession.

137

138

### Definitions

139

140 **Adjunctive Medication:** Adjunctive medications are defined as those medications used  
141 to evoke a specific physiological or biochemical response used in conjunction with  
142 diagnostic imaging or therapeutic procedures.

143

144 **ALARA:** ALARA is an acronym for "as low as (is) reasonably achievable," which  
145 means making every reasonable effort to maintain exposures to ionizing radiation as far  
146 below the dose limits as practical. *The NRC definition under 10 CFR Part 20.1003 of*  
147 *ALARA can be found here:* [http://www.nrc.gov/reading-rm/basic-](http://www.nrc.gov/reading-rm/basic-ref/glossary/alara.html)  
148 [ref/glossary/alara.html](http://www.nrc.gov/reading-rm/basic-ref/glossary/alara.html).

149

150 **Authorized User:** A physician licensed to permit the medical use of byproduct  
151 material. *The NRC definition under 10 CFR Part 35.2 of an Authorized User can be*  
152 *found here:* [//www.nrc.gov/reading-rm/doc-collections/cfr/part /part - .html](http://www.nrc.gov/reading-rm/doc-collections/cfr/part/part-.html)

153

154 **Computed Tomography:** A medical imaging technology that uses a computer to  
155 acquire a volume of x-ray-based images, generally reconstructed as two-dimensional  
156 (2D) or three- dimensional (3D) pictures of inside the body.

157

158 **Diagnostic Imaging:** Diagnostic imaging uses technologies such as x-ray, CT, MR,  
159 ultrasound, general nuclear medicine, PET, and single-photon emission computed  
160 tomography (SPECT) to provide physicians with a way to look inside the body without  
161 surgery.

162

163 **Diagnostic Nuclear Medicine:** The use of radioactive materials (called  
164 radiopharmaceuticals or radiotracers) to evaluate molecular, metabolic, physiologic,  
165 anatomic, and pathologic conditions of the body for the purposes of diagnosis and  
166 research.

167

168 **Hybrid Imaging:** The combination of imaging technologies that allows information  
169 from different modalities to be presented as a single set of images.

170

171 **Imaging Device:** A technological apparatus used to produce detailed images of the  
172 inside of the body for diagnostic, therapeutic, or research purposes. Examples of these  
173 devices include the gamma camera, CT scanner, PET scanner, MR unit, optical imaging  
174 detector, and ultrasound device.

175

176 **Imaging Medication:** Medication that is administered immediately before or  
177 during an imaging procedure and is used only to enhance imaging studies. It  
178 includes but is not limited to iodinated contrast and gadolinium.

179

180 **Isotope:** Atoms of a single element that have differing masses. Isotopes are either  
181 stable or unstable (radioisotope). Radioisotopes are radioactive: they emit  
182 particulate (alpha, beta) or electromagnetic (gamma) radiation as they transform or  
183 decay into stable isotopes.

184

185 **Magnetic Resonance Imaging:** Magnetic resonance (MR) imaging is a diagnostic scan

186 that uses high-strength magnetic fields and radio frequency transmission rather than  
187 ionizing radiation. MR imaging techniques are used primarily to study anatomy, but a  
188 special type of MR scan, functional MR imaging (fMRI), can be used to map blood flow  
189 for functional studies.

190

191 **Molecular Imaging:** Molecular imaging is an array of non-invasive, diagnostic imaging  
192 technologies that can create images of physical, functional, and anatomical aspects of  
193 the living body at a molecular level. Molecular imaging technologies include, but are not  
194 limited to, nuclear medicine, optical imaging, spectroscopy, PET, and SPECT.

195

196 **Nuclear Medicine Therapy:** The use of radioactive materials (called  
197 radiopharmaceuticals or radiotracers) to treat disease processes.

198

199 **Positron Emission Tomography:** Positron emission tomography is a medical imaging  
200 technology using radiopharmaceuticals emitting positrons that annihilate into two  
201 photons. These photon pairs are detected by the PET scanner to produce images.

202

203 **Radiopharmaceuticals:** Radioactive chemicals used to diagnose, treat, or prevent disease.  
204

205 **Single Photon Computed Tomography:** SPECT imaging uses a gamma camera to  
206 acquire multiple 2-D images (projections) from multiple angles. Tomographic  
207 reconstruction algorithms are applied to the multiple projections, yielding a 3-D dataset.  
208 This dataset may then be manipulated to show thin slices along any chosen axis of the  
209 body, similar to those obtained from other tomographic techniques, such as CT, PET and  
210 MRI.

211

## 212 The Scope of Practice

213

214 The scope of practice in nuclear medicine technology includes, *but is not*  
215 *limited to*, the following areas and responsibilities:

216

217 **Patient Care:** Requires the exercise of judgment to assess and respond to the patient's  
218 needs before, during, and following diagnostic imaging and treatment procedures and in  
219 patient medication reconciliation. This includes record keeping in accordance with the  
220 Health Insurance Portability and Accountability Act (HIPAA).

221

222 **Instrumentation/Quality Control:**

223 Involves the operation of:

224

225 Nuclear medicine and PET imaging systems:

226 With or without sealed sources of radioactive materials, x-ray tubes, or MR  
227 systems for attenuation correction, transmission imaging, or diagnostic CT or  
228 MR (when appropriately trained and/or credentialed).

229

230 Non-imaging

231 instrumentation:

232 Dose calibrators

- 233 Survey instrumentation for exposure and contamination  
234 Probe and well instrumentation  
235 Ancillary patient care equipment as authorized by institutional policies  
236 Infusion systems  
237 Radionuclide generators

238

239 Quality control:

240 The evaluation and maintenance of a quality control program for all  
241 instrumentation to ensure optimal performance and stability.

242

243 **Diagnostic Procedures:** Requires the utilization of appropriate techniques,  
244 radiopharmaceuticals, imaging medications and adjunctive medications as part of a  
245 standard protocol to ensure quality diagnostic images and/or laboratory results.  
246 Obtains biological samples to perform testing as required for the optimization of  
247 patient care and quality of diagnostic procedures.

248

249 **Therapeutic Procedures:** Requires the utilization of appropriate techniques,  
250 radiopharmaceuticals, and adjunctive medications as part of a standard protocol to ensure  
251 proper treatment of the disease process. Obtains biological samples to perform testing as  
252 required for the optimization of patient care.

253

254 **Adjunctive Medications:** Involves the identification, preparation, calculation,  
255 documentation, administration, and monitoring of adjunctive medication(s) used during  
256 diagnostic imaging, or therapeutic procedures.

257

258 **Imaging Medications:** Involves the identification, preparation, calculation, documentation,  
259 administration, and monitoring of imaging medication(s) used during diagnostic imaging  
260 studies.

261

262 **Radiopharmaceuticals:** Involves the safe handling and storage of  
263 radiopharmaceuticals. This includes, but is not limited to, the procurement,  
264 identification, preparation, dose calculation, and administration of  
265 radiopharmaceuticals. It also includes all associated documentation and disposal as  
266 appropriate.

267

268 **Radiation Safety:** Involves practicing techniques that will minimize radiation exposure  
269 to the patient, health care personnel, and general public. These include using protective  
270 devices, shields, dose reduction, and monitors consistent with ALARA principles.  
271 Establishing protocols for managing spills and unplanned releases of radiation.

272

273

274

275

### The Clinical Performance Standards

276 The clinical performance standards for the nuclear medicine technologist include,  
277 *but are not limited to*, the following areas and responsibilities:

278

#### I. Patient Care

279

- 280 A. A nuclear medicine technologist prepares the patient by:
- 281 1. Verifying patient identification, date of last menstrual period, pregnancy
- 282 or breastfeeding status (and alerting the authorized user if there are
- 283 concerns about possible pregnancy), and written orders for the procedure.
- 284 2. Assuring study appropriateness based on indication and patient symptoms.
- 285 Consulting with the authorized user and/or referring physician whenever the request
- 286 is called into question.
- 287 3. Obtaining a pertinent medical history, including medications and allergies,
- 288 and confirming the patient's candidacy for the procedure.
- 289 4. Ensuring that any pre-procedural preparation has been completed (e.g.,
- 290 fasting, diet, hydration, glucose levels, voiding, bowel cleansing, and
- 291 suspension of interfering medications).
- 292 5. Ensuring that informed consent has been obtained and witnessed, as prescribed
- 293 by the institution, whenever necessary.
- 294 6. Properly explaining the procedure to the patient and/or family and, where
- 295 appropriate, to the parent and/or legal guardian, and when necessary, obtaining
- 296 the assistance of an interpreter or translator. This includes, but is not limited to,
- 297 patient involvement, length of study, radiation safety issues, and post-
- 298 procedure instructions.
- 299
- 300 B. A nuclear medicine technologist provides patient care by:
- 301 1. Assuring comfort and care to the patient prior to, during, and following a procedure.
- 302 This includes, but is not limited to, the use and monitoring of intravenous lines (i.e.,
- 303 central lines, peripherally inserted central catheters (PICC)), oxygen supplies, and
- 304 drains. This also includes the operation of blood pressure cuffs, electrocardiogram
- 305 (ECG) machines, pulse oximeters, glucometers, intravenous pumps, and oxygen
- 306 delivery regulators as authorized by institutional policies.
- 307 2. Inserting and monitoring peripheral intravenous catheters.
- 308 3. Nuclear Medicine Technologists administer radioactive, adjunctive, and imaging
- 309 medications. This includes, but is not limited to, the following: oral, intravenous,
- 310 intramuscular, intradermal, subcutaneous, inhalation.
- 311 4. Monitoring patients who are under minimal sedation in accordance with the
- 312 American Society of Anesthesiologists [ASA] guidelines for conscious sedation and
- 313 per institutional guidelines and documenting during the monitoring period.
- 314 5. Collecting specimens and performing pertinent laboratory procedures. Performing in
- 315 vitro diagnostic testing laboratory analyses as required by established protocols.
- 316 Additionally, performing in vitro diagnostic testing laboratory procedures to measure
- 317 the biodistribution of radiopharmaceuticals.
- 318 6. Establishing and maintaining proper communication with patients (i.e., proper
- 319 introduction, appropriate explanation of procedure, etc.).
- 320 7. Maintaining a professional demeanor at all times to assure the preservation of
- 321 patients' rights, resulting in the provision of the highest-quality patient care possible.
- 322 8. Following recognized infection control practices to provide a safe and sanitary
- 323 working environment for patients and the general public.
- 324 9. Recognizing and responding to an emergency situation at a level commensurate
- 325 with one's training and competency, including cardiopulmonary resuscitation

326 (CPR); the use of automatic external defibrillators (AED), if applicable; advanced  
327 cardiac life support (ACLS); and advanced pediatric life support (PALS).

328 10. Recognizing, responding to, reporting, and documenting adverse events.

329

330 C. A nuclear medicine technologist performs administrative procedures by:

- 331 1. Maintaining an adequate volume of medical/surgical supplies, imaging  
332 medications, adjunctive medications, radiopharmaceuticals, storage media, and  
333 other items required to perform procedures in a timely manner.
- 334 2. Scheduling patient procedures appropriate to the indication and in the proper  
335 sequence.
- 336 3. Maintaining appropriate records of administered radioactivity, quality control  
337 procedures, patient reports, and other required records.
- 338 4. Developing and revising, when necessary, policies and procedures in accordance  
339 with applicable regulations.
- 340 5. Actively participating in total quality management/continuous quality  
341 improvement programs (i.e., age-specific competencies, patient education, and  
342 patient restraint and immobilization).
- 343 6. Complying with licensing standards and institutional policies. The nuclear  
344 medicine technologist involved with research must also follow Institutional  
345 Research Board protocols, comply with Institutional Animal Care and Use  
346 Committee, and Food and Drug Administration standards.

347

## 348 **II. Instrumentation/Quality Control**

349 A. A nuclear medicine technologist evaluates equipment performance, initiates corrective  
350 action when necessary, and maintains required records for the quality control program of  
351 gamma camera imaging systems, PET systems, hybrid imaging systems, CT, and/or MR  
352 in accordance with applicable regulations, accrediting agencies, and recommendations  
353 from camera manufacturers. Responsibilities include but are not limited to:

- 354 1. Identifying system-specific quality control requirements by following  
355 recommended initial acceptance quality control procedures and daily, weekly,  
356 monthly, quarterly, and annual quality control procedures to evaluate allowable  
357 parameter ranges for uniformity, photon detection/discrimination, spatial  
358 resolution, scatter correction, count loss, measurement of random interactions,  
359 sensitivity, dead-time loss, and random count correction accuracy as  
360 recommended by the manufacturer, and required by institutional and  
361 accreditation policies.
- 362 2. Recognizing image artifacts requiring imaging system correction and performing  
363 corrections and quality assurance.
- 364 3. Performing and evaluating sinogram acquisition or other routine quality control  
365 procedures to evaluate detector integrity.
- 366 4. Performing imaging system quality assurance is based upon recommendations  
367 from the physicist, service engineer, and/or camera manufacturer. It includes,  
368 but is not limited to:
- 369 a. Obtaining uniformity images on imaging detectors.
- 370 i. Selecting a radionuclide source of appropriate type, size,  
371 quantity, and energy.

- 372 ii. Selecting an appropriate pulse height analyzer (PHA), photopeak,  
373 and window.
- 374 iii. Obtaining uniformity images using standardized imaging  
375 parameters.
- 376 iv. Evaluating the images qualitatively and/or  
377 quantitatively in comparison to the manufacturer's  
378 specifications and the performance requirements based  
379 on the studies for which the unit is used.
- 380 v. Identifying the source of any significant nonuniformity  
381 (e.g., checking collimator and PHA peak setting).
- 382 vi. Initiating corrective action when necessary.
- 383 b. Performing a detector linearity evaluation on imaging detectors.
- 384 i. Selecting a radionuclide, selecting a linearity phantom,  
385 and obtaining images.
- 386 ii. Identifying any nonlinear distortion in the  
387 image.
- 388 iii. Determining the source of nonlinearity (e.g., detector–  
389 source geometry).
- 390 iv. Initiating corrective action when necessary.
- 391 c. Performing spatial resolution checks on imaging detectors.
- 392 i. Selecting an appropriate radionuclide.
- 393 ii. Choosing a phantom that is compatible with the  
394 specified resolution of the camera.
- 395 iii. Analyzing the resulting images for degradation of resolution  
396 and determining the causes.
- 397 iv. Initiating corrective action when necessary.
- 398 d. Conducting sensitivity checks on imaging detectors yearly in  
399 conjunction with a physicist.
- 400 i. Selecting a source with an appropriate level of activity and half-  
401 life.
- 402 ii. Ensuring identical geometry, source placement, and  
403 measurement parameters for repetitive checks.
- 404 iii. Evaluating results.
- 405 iv. Initiating corrective action when necessary.
- 406 e. Performing single-photon emission computed tomography (SPECT) quality  
407 control procedures based on camera manufacturer recommendations,  
408 including but not limited to:
- 409 i. Obtaining a high-count uniformity calibration flood.
- 410 ii. Obtaining a center-of-rotation calibration to ensure  
411 detector alignment.
- 412 iii. Evaluating reconstruction results of an acquired cylindrical SPECT  
413 phantom with contrast and spatial resolution inserts:
- 414 a. Detector quality control may include but is not limited to  
415 the evaluation of system uniformity, sensitivity, linearity  
416 and spatial resolution.
- 417 b. Record and evaluate results according to manufacturer

- 418 guidelines' institutional and accreditation policy.  
 419 c. Initiating corrective action when necessary.  
 420 f. Performing CT system quality assurance based on camera manufacturer  
 421 recommendations, including but not limited to:  
 422 i. Daily: Follow camera manufacturers' described warm-up procedure  
 423 and automatic monitoring, at various tube voltage (kVp) or current  
 424 (mAs) settings, of the tube output and detector response.  
 425 ii. Follow camera manufacturers' recommendations: Perform a phantom  
 426 evaluation to determine tomographic uniformity accuracy of the CT  
 427 number for water, image noise, and slice thickness.  
 428 iii. Initiating corrective action when necessary.  
 429 g. Performing PET or PET/CT system quality assurance based on camera  
 430 manufacturer recommendations, including but not limited to:  
 431 i. Acquiring consistent 2D and/or 3D PET images, using appropriate  
 432 reconstruction techniques, to display sinogram images for QC  
 433 interpretation.  
 434 ii. Working in conjunction with medical director or medical  
 435 physicists verifying CT/AC protocols, including mAs, kVp, pitch,  
 436 and helical scanning.  
 437 iii. Initiating corrective action when necessary.  
 438 5. Performing radionuclide generator quality assurance, daily and before the use of the  
 439 generator, to include dose calibrator/generator calibration and parent/daughter  
 440 breakthrough.  
 441 6. Performing infusion device quality control per manufacturer recommendations.  
 442 7. Operating imaging systems, storage media, and radiation detection and counting  
 443 devices, including but not limited to imaging detectors, dose calibrators, survey  
 444 instruments, scintillation probes, well counters, and data processing and image  
 445 production devices:  
 446 a. Maintaining and operating auxiliary equipment used in procedures.  
 447 b. Actively participating in total quality management/continuous quality  
 448 improvement programs by:  
 449 i. Identifying indicators to be analyzed.  
 450 ii. Gathering and presenting data in appropriate formats, analyzing  
 451 data, and recommending changes.  
 452 8. Operating scintillation probes, well counters, and other laboratory equipment:  
 453 a. Calibrating a spectrometer with a long-half-life radionuclide source.  
 454 b. Determining energy resolution.  
 455 c. Conducting sensitivity and constancy measurements at appropriate  
 456 energies with a standard, long-lived source Cs-137 or I-129.  
 457 d. Checking background and determining the cause for levels greater than  
 458 established normal levels.  
 459 e. Conducting a chi-square test.  
 460 f. Maintaining required records for quality control programs in  
 461 accordance with federal and state regulations and institutional policies.  
 462 g. Performing glucometer quality assurance using high and low standards.  
 463 9. Operating survey meters:

- 464 a. Ensuring that calibration has been completed within the last 12 months.
- 465 b. Performing a battery check to verify the meter is operational.
- 466 c. Performing a check-source test and comparing with previous results.
- 467 d. Maintaining required records for the quality control program.
- 468 10. Operating dose calibrator:
  - 469 a. Verifying constancy every day that isotopes are administered to patients,
  - 470 including weekends and on-call hours, and checking channels of the
  - 471 isotopes used that day using a check source with a long half-life.
  - 472 b. Verifying linearity quarterly over the entire range of radionuclide activity
  - 473 to be administered to patients, comparing calculated activities to measured
  - 474 activities, and determining correction factors when necessary.
  - 475 Determining accuracy annually by comparing a set of known activities to
  - 476 measured activities using isotopes of varying energy emissions such as
  - 477 Co-57, Ba-133, and Cs-137.
  - 478 c. Upon installation, testing for significant geometric variation in activity
  - 479 measured as a function of sample volume or configuration and
  - 480 determining correction factors when necessary.
  - 481 d. Maintaining required records for the quality control program in
  - 482 accordance with federal and state regulations and institutional policies.
- 483 11. Operating image processors/computer monitors:
  - 484 a. Verifying the calibration of the instrument.
  - 485 b. Maintaining required records for the quality control program.

### III. Diagnostic Procedures

- 488 A. A nuclear medicine technologist performs imaging procedures by:
  - 489 1. Determining appropriate imaging parameters.
    - 490 a. Preparing (see Section V.C.), evaluating, and properly administering the
    - 491 prescribed amount of various radiopharmaceuticals, adjunctive
    - 492 medications, and/or imaging medications.
    - 493 b. Selecting the appropriate imaging or data collection parameters.
  - 494 2. Administering radiopharmaceuticals, adjunctive medications, and/or imaging
  - 495 medications through various routes (including but not limited to oral, intravenous,
  - 496 intramuscular, intradermal, subcutaneous, inhalation) in accordance with
  - 497 established protocols and verifying that the radiopharmaceutical meets quality
  - 498 specifications prior to administration (i.e., expiry time, pH, half-life, etc.).
  - 499 3. Administering radiopharmaceuticals, adjunctive medications, and imaging
  - 500 medications:
    - 501 a. Verifying patient ID according to institutional policy.
    - 502 b. Determining route of administration according to established protocol.
    - 503 c. Establishing and/or verifying venipuncture access using aseptic technique.
    - 504 d. Using and maintaining established venous access routes (e.g., heparin
    - 505 infusion set, infusion pump, peripherally inserted central catheter (PICC),
    - 506 and central line).
    - 507 e. Reconciling patient medications according to institutional policy to ensure
    - 508 that the patient's current medications will not interact with the
    - 509 radiopharmaceutical, adjunctive medications, and imaging medications

- 510 used for the ordered exam.
- 511 f. Preparing (see Section IV.C.) and administering adjunctive medications  
512 and imaging medications per the appropriate route.
- 513 g. Documenting medications and/or radiopharmaceutical administrations in  
514 the patient medical record in accordance with federal and state regulations  
515 and institutional policies.
- 516 h. Observing the patient carefully after any administration for side effects,  
517 and handling such side effects appropriately as described in established  
518 policies or as directed by medical staff.
- 519 4. Positioning the patient and obtaining images:
- 520 a. Verifying energy peak on NM cameras.
- 521 b. Waiting an appropriate time following the administration of a  
522 radiopharmaceutical, adjunctive medication, or imaging medication to  
523 begin the imaging procedure protocol, and acquiring additional views as  
524 necessary to optimize information content.
- 525 c. Exercising professional judgment in positioning a patient to best  
526 demonstrate pathology and to adapt to the patient's limitations.
- 527 d. Positioning the patient using supportive materials and immobilizers, as  
528 necessary.
- 529 e. Indicating appropriate anatomic landmarks for each view of the  
530 procedure.
- 531 f. Reviewing images to ensure that the required information has been  
532 acquired and that the images have been processed properly and are of  
533 the highest quality.
- 534 5. Assisting in exercise and pharmacologic cardiac testing procedures:
- 535 a. Preparing patients to include the correct placement of ECG electrodes.
- 536 b. Determining if the appropriate test has been ordered based on the ECG  
537 rhythm, medical history, and current medications.
- 538 c. Recognizing and responding to ECG changes.
- 539 d. Recognizing the parameters that indicate termination of a cardiac stress  
540 study.
- 541 e. Recognizing ECG patterns that are appropriate for image gating.
- 542 6. Performing data collection, processing, and analysis:
- 543 a. Performing data collection, processing, and analysis in accordance with  
544 institutional protocols.
- 545 b. Exercising independent judgment in selecting appropriate images for  
546 processing.
- 547 c. Obtaining quantitative measurements such as SUV, coronary flow reserve,  
548 kinetic modeling, regional brain analysis, biliary and cardiac ejection  
549 fractions, and renal function, as appropriate for the procedure performed.
- 550 d. Defining regions of interest (ROIs) with reproducible results and correctly  
551 applying background subtraction.
- 552 e. Performing computer data manipulations as required.
- 553 f. Labeling processed images (e.g., anatomical positioning, ROIs, date, and  
554 time).
- 555 g. Archiving to and retrieving data from storage media.

- 556  
557 B. A nuclear medicine technologist may perform non-imaging in vitro and/or radioassay  
558 studies by:
- 559 1. Operating laboratory equipment, including well counters, probes, and other  
560 detection devices to measure the biodistribution of radiopharmaceuticals.
  - 561 2. Preparing doses:
    - 562 a. Quantitating doses:
      - 563 i. Calculating and confirming the activity to be used
      - 564 ii. Calculating the volume necessary to deliver activity for the  
565 prescribed dose.
      - 566 iii. Preparing standard solutions or dosage for phantom use as  
567 needed using appropriate volumetric or gravimetric  
568 techniques to dilute the standard per institutional protocol.
    - 569 3. Collecting appropriate biological specimens for procedures using standard  
570 precaution techniques as required by protocol:
      - 571 a. Collecting blood samples:
        - 572 i. Selecting proper supplies (e.g., needles, syringes, evacuated tubes,  
573 or anticoagulants).
        - 574 ii. Identifying and verifying the patient and labeling patient  
575 demographics on collection containers.
        - 576 iii. Performing venipuncture at appropriate intervals using aseptic  
577 technique.
        - 578 iv. Adding hemolyzing compounds or anticoagulants to samples  
579 according to protocol.
        - 580 v. Centrifuging blood and separating blood components, according to  
581 protocol.
        - 582 vi. Storing aliquots of serum, plasma, or whole blood according to  
583 protocol.
      - 584 b. Collecting urine samples by:
        - 585 i. Instructing the patient and/or nursing staff regarding the correct  
586 method and time of urine collection.
        - 587 ii. Aliquoting the urine sample and measuring total urine volume.
        - 588 iii. Measuring the specific gravity of urine, if required.
        - 589 iv. Recognizing and documenting all technical circumstances that  
590 would produce invalid results
    - 591 4. Gathering, validating, and documenting data:
      - 592 a. Subtracting room background or patient background from appropriate  
593 samples.
      - 594 b. Applying appropriate formulas, including conversion and dilution factors.
      - 595 c. Calculating results according to the procedure used.
      - 596 d. Plotting a graph, if necessary, and determining half time by extrapolating  
597 to zero time.
      - 598 e. Reporting both calculated values for a patient and normal range of specific  
599 procedures used.
      - 600 f. Evaluating results for potential error.
    - 601 5. Managing biohazardous, chemical, and radioactive waste in accordance with

602 applicable state and federal regulations and institutional policy.

603

604 **IV. Adjunctive Medications**

605 A nuclear medicine technologist displays:

606 A. A thorough understanding and knowledge of indications, contraindications, warnings,  
607 precautions, proper use, drug interactions, and adverse reactions for each adjunct  
608 medication to be used.

609

610 B. The ability to procure and maintain adjunctive medications and supplies by:

611 1. Anticipating and procuring a sufficient supply of medications for an appropriate  
612 period in accordance with anticipated need.

613 2. Storing medications and supplies in a manner consistent with labeled product  
614 safeguards and established institutional policies.

615 3. Identifying and properly disposing of expired medications.

616

617 C. The ability to properly prepare and administer adjunctive medications under the  
618 supervision of an authorized user by:

619 1. Employing aseptic technique for manipulation of sterile products and  
620 preparations.

621 2. Selecting and preparing adjunctive medications.

622 3. Confirming the quality of an adjunctive medication in accordance with accepted  
623 techniques and official standards.

624 4. Documenting the administered dose, date, and time of all adjunctive medications  
625 in a permanent medical record.

626 5. Observing the patient for possible complications (e.g., adverse reactions) of  
627 adjunctive medication administration, and handling such complications  
628 appropriately in conjunction with other available staff.

629

630 **V. Imaging Medications**

631 A nuclear medicine technologist displays:

632 A. A thorough understanding and knowledge of indications, contraindications, warnings,  
633 precautions, proper use, drug interactions, and adverse reactions for each imaging  
634 medication to be used.

635

636 B. The ability to procure and maintain imaging medications and supplies by:

637 1. Anticipating and procuring a sufficient supply of medications for an appropriate  
638 period in accordance with anticipated need.

639 2. Storing medications and supplies in a manner consistent with labeled product  
640 safeguards and established institutional policies.

641 3. Identifying and properly disposing of expired medications.

642

643 C. The ability to properly prepare and administer imaging medications under the  
644 supervision of an authorized user by:

645 1. Employing aseptic technique for manipulation of sterile products and  
646 preparations.

647 2. Selecting and preparing imaging medications in accordance with the  
648 manufacturer's specifications and institutional policy.

- 649 3. Confirming the quality of an imaging medication in accordance with accepted  
650 techniques and official standards.  
651 4. Documenting the administered dose, date, and time of all imaging medications in  
652 a permanent medical record.  
653 5. Observing the patient for possible complications (e.g., adverse reactions) of  
654 imaging medication administration, and handling such complications  
655 appropriately in conjunction with other available staff.  
656

## 657 **VI. Radiopharmaceuticals**

- 658 A. A nuclear medicine technologist displays a:
- 659 1. Thorough knowledge of indications, contraindications, warnings, precautions,  
660 proper use, drug interactions, and adverse reactions for each radiopharmaceutical  
661 to be used.  
662 2. Thorough knowledge of biochemical and molecular functions that relate to, but  
663 not limited to, glucose metabolism, blood flow, brain oxygen utilization,  
664 perfusion, and receptor–ligand binding rates.  
665 3. Thorough knowledge of the physiological and biochemical processes that  
666 relate to organ system function and anatomy and radiopharmaceutical  
667 demonstration of normal and pathologic states.  
668
- 669 B. A nuclear medicine technologist maintains radiopharmaceutical products by:
- 670 1. Anticipating and procuring a sufficient supply of radiopharmaceuticals for an  
671 appropriate period in accordance with anticipated need and license possession  
672 limits.  
673 2. Maintaining security while storing radiopharmaceuticals in a manner consistent  
674 with the manufacturer’s labeled product safeguards, radiation safety  
675 considerations, and established policies.  
676 3. Performing and documenting radiation survey and wipe tests upon receipt of  
677 radioactive materials.  
678 4. Recording receipt of radioactive materials in a permanent record.  
679 5. Following Department of Transportation (DOT) regulations and radiation safety  
680 guidelines in the transport, receipt, and shipment of radioactivity.  
681
- 682 C. A nuclear medicine technologist properly prepares and administers  
683 radiopharmaceuticals under the direction of an authorized user in accordance with all  
684 federal and state regulations and institutional policies by:
- 685 1. Preparing all sterile radiopharmaceuticals in appropriate environments in compliance  
686 with USP and FDA Standards.  
687 2. Following appropriate personnel cleansing and garbing protocols when entering  
688 “clean” areas in accordance with USP Standards.  
689 3. Employing aseptic technique, consistent with USP Standards, when mixing and  
690 manipulating sterile products  
691 4. Following appropriate USP Standards for beyond-use date (time-of-use) and vial  
692 puncture standards.  
693 5. Assembling and maintaining radionuclide generators.  
694 6. Eluting radionuclide generators according to the manufacturer’s specification in a

- 695 “clean” environment that complies with USP Standards.  
696 7. Verifying the radionuclidic purity of generator eluates.  
697 8. Selecting and preparing radiopharmaceuticals in accordance with the  
698 manufacturer’s specifications.  
699 9. Measuring the radioactivity of the radiopharmaceutical using a dose calibrator.  
700 10. Confirming the quality of a radiopharmaceutical in accordance with accepted  
701 techniques and official standards (e.g., radiochemical purity and physical  
702 appearance).  
703 11. Handling and preparing blood or blood products for labeling and/or labeled blood  
704 cells in accordance with established regulations and protocols and in an  
705 environment in compliance with USP Standards, and ensuring that when blood  
706 products are handled and compounded they are separated from other  
707 radiopharmaceuticals.  
708 12. Recording use and/or disposition of all radioactive materials in a permanent  
709 record:  
710 a. Properly storing radiopharmaceutical kits, and radiopharmaceuticals as  
711 stated in USP Standards.  
712 b. Recording results of radionuclide generator eluates’ quality assurance tests  
713 to include dose calibrator/generator calibration and radionuclidic purity of  
714 eluates.

715  
716 D. A nuclear medicine technologist is responsible for the identification and labeling of all  
717 radiopharmaceutical preparations by:

- 718 1. Labeling vials and syringes.  
719 2. Recording radiopharmaceutical and medication information on a patient's  
720 administration form and permanent preparation records.  
721 3. Labeling and segregating radioactive waste and recording the information in a  
722 permanent record.

723  
724 E. A nuclear medicine technologist prepares individual dosages under the supervision of  
725 an authorized user by:

- 726 1. Applying radioactive decay calculations to determine the required volume or unit  
727 form necessary to deliver the prescribed radioactive dose.  
728 2. Selecting and preparing prescribed dosages and entering the information on a  
729 patient’s administration form and other permanent records.  
730 3. Appropriately labeling the dose for administration.  
731 4. Checking the dose activity prior to administration in a dose calibrator and  
732 comparing this measurement against the shipment documentation.  
733 5. Recording use and/or disposition of radioactive materials in a permanent  
734 record by properly storing radiopharmaceuticals.

735  
736 **VII. Radionuclide Therapy**

737 A. A nuclear medicine technologist properly prepares and/or administers therapeutic  
738 radiopharmaceuticals when these agents are part of a standard procedure that is required  
739 for treatment under the direct supervision of an authorized user by:

- 740 1. Ensuring that the correct radiopharmaceutical and dosage is prepared.

- 741 2. Following the quality management program in effect at the facility in regard to  
742 patient identification and verification and the use of therapeutic  
743 radiopharmaceuticals.
- 744 3. Observing prescribed radiation safety using FDA and USP Standards during the  
745 preparation and administration of such treatment.
- 746 4. Assisting the authorized user in supplying proper patient care instructions to  
747 hospital staff, patient, and/or caregivers.
- 748 5. Conducting and documenting radiation surveys of designated patient areas, when  
749 indicated.
- 750 6. Instructing the patient, family, and staff in radiation safety precautions after the  
751 administration of therapeutic radiopharmaceuticals.
- 752 7. Coordinating/scheduling pre-/post treatment blood/urine draws and/or imaging.
- 753 8. Maintaining all appropriate records.

### 754 **VIII. Radiation Safety**

755 A. A nuclear medicine technologist performs all procedures utilizing ionizing radiation  
756 safely and effectively by:

- 757 1. Maintaining security of radioactive materials.
- 758 2. Notifying the appropriate authority when changes occur in the radiation safety  
759 program.
- 760 3. Assisting in the preparation of license amendments when necessary.
- 761 4. Keeping up to date on regulatory changes and complying with all applicable  
762 regulations.
- 763 5. Maintaining required records.
- 764 6. Posting appropriate radiation signage in designated areas.
- 765 7. Following federal and state regulations regarding receipt, storage, disposal, and  
766 usage of all radioactive materials.
- 767 8. Recommending the purchase of radiation protection equipment to meet federal  
768 and state regulations and institutional policies.
- 769 9. Packaging and monitoring radioactive material for transport according to federal  
770 and state regulations, and keeping accurate records of transfer.

771  
772  
773 B. A nuclear medicine technologist follows appropriate radiation protection procedures  
774 by:

- 775 1. Using personnel monitoring devices (film badges, optically stimulated  
776 luminescence [OSL] thermoluminescent dosimeters, etc.).
  - 777 a. Reviewing personnel exposure records in regard to maximum  
778 permissible dose limits.
  - 779 b. Taking appropriate measures to reduce exposure.
  - 780 c. Notifying proper authorities of excessive exposure  
781 upon discovery/occurrence.
- 782 2. Selecting and using proper syringe shields and other shielding configurations to  
783 reduce radiation exposure to patients, personnel, and the general public.
- 784 3. Using proper shielding and disposal procedures to maximize patient, technologist,  
785 and public protection.
- 786 4. Working in a safe but timely manner in order to decrease radiation exposure in

- 787 consideration of ALARA guidelines.
- 788 5. Reviewing personnel monitoring device readings to determine if radiation
- 789 exposure can be further reduced.
- 790 6. Working in a manner that minimizes potential contamination of patients,
- 791 technologists, the public, and work areas.
- 792
- 793 C. A nuclear medicine technologist monitors for radioactive contamination at
- 794 regular intervals or after repairs by:
- 795 1. Ensuring that instruments are calibrated.
- 796 2. Setting the frequency and locations for surveys and following schedules.
- 797 3. Using appropriate survey meters for each type and level of activity.
- 798 4. Following federal and state regulations regarding personnel surveys and reporting
- 799 to the designated authorized user or radiation safety officer.
- 800 5. Performing constancy checks on survey meters.
- 801 6. Performing wipe tests where applicable.
- 802 7. Performing leak tests on sealed sources.
- 803 8. Recording data in the required format (e.g., dpm instead of cpm).
- 804 9. Evaluating the results of wipe tests and area surveys to determine if action is
- 805 required.
- 806 10. Notifying the radiation safety officer when actions are required.
- 807
- 808 D. A nuclear medicine technologist performs decontamination procedures by:
- 809 1. Wearing personal protective equipment as necessary.
- 810 2. Restricting access to the affected area and confining a spill.
- 811 3. Removing contamination and monitoring the area and personnel, and repeating
- 812 the decontamination procedure until activity levels are acceptable.
- 813 4. Closing off all areas of fixed contamination that are above acceptable levels,
- 814 shielding the area, and posting appropriate signs.
- 815 5. Identifying, storing, or disposing of contaminated material.
- 816 6. Maintaining appropriate decontamination records.
- 817 7. Notifying the appropriate authority (e.g., radiation safety officer) in the event of
- 818 possible overexposure or other violations of federal and state regulations and
- 819 institutional policies.
- 820
- 821 E. A nuclear medicine technologist disposes of radioactive waste by:
- 822 1. Maintaining appropriate records.
- 823 2. Disposing according to license specifications.
- 824 3. Maintaining radioactive storage areas.
- 825 4. Maintaining current Hazmat training records per NRC and Organization of
- 826 Agreement States (OAS) regulations.
- 827 F. A nuclear medicine technologist participates in programs designed to instruct other
- 828 personnel about radiation hazards and principles of radiation safety by:
- 829 1. Using the following teaching concepts:
- 830 a. Types of ionizing radiation.
- 831 b. Biological effects of ionizing radiation.

- 832 c. Limits of dose, exposure, and radiation effect.  
833 d. Concepts of low-level radiation and health.  
834 e. Concept of risk versus benefit.  
835 f. ALARA
- 836 2. Providing appropriate radiation safety measure instructions.  
837 3. Providing proper emergency procedures instruction.  
838 4. Modeling proper radiation safety techniques and shielding in the course of daily  
839 duties.
- 840
- 841 G. A nuclear medicine technologist assists in performing radiation safety procedures  
842 associated with radionuclide therapy by:
- 843 1. Following the guidelines for administration of therapeutic radiopharmaceuticals  
844 and the release of patients administered therapeutic radiopharmaceuticals.  
845 2. Following the guidelines for the release of patients administered radioactive  
846 materials.  
847 3. Following the proper procedures for patients requiring hospitalization after  
848 administration of therapeutic radiopharmaceuticals.  
849 4. Providing appropriate instruction on radiation safety procedures for patients, care  
850 givers, and staff.  
851

852

853

854

### References

855

856 Accreditation Standards for Nuclear Medicine Technologist Education. 2011.

857 [://www.jrcnmt.org/essentials.asp](http://www.jrcnmt.org/essentials.asp).

858

859 American College of Radiology. Technical Guidelines for Nuclear Medicine and  
860 Radiopharmaceuticals. 2006.

861 [://www.acr.org/SecondaryMainMenuCategories/quality\\_safety/guidelines/tech-](http://www.acr.org/SecondaryMainMenuCategories/quality_safety/guidelines/tech-standardsnm.aspx)

862 [standardsnm.aspx](http://www.acr.org/SecondaryMainMenuCategories/quality_safety/guidelines/tech-standardsnm.aspx).

863

864 American Registry of Radiologic Technologists. Content Specifications.

865 [://www.arrt.org/examinations/contentspecs/NMT\\_CS\\_2011.pdf](http://www.arrt.org/examinations/contentspecs/NMT_CS_2011.pdf)

866

867 American Registry of Radiologic Technologists. Task Inventory for Nuclear Medicine  
868 Technologist. [://www.arrt.org/pdfs/Examinations/NMT-Task-Inventory.pdf](http://www.arrt.org/pdfs/Examinations/NMT-Task-Inventory.pdf). Published July  
869 2010. Last accessed January 19, 2012.

870

871 American Society of Radiologic Technologists. Nuclear Medicine Practice Standards. 2010

872 [://www.asrt.org/media/pdf/practicestds/GR10\\_OPI\\_Strds\\_NM\\_PS.pdf](http://www.asrt.org/media/pdf/practicestds/GR10_OPI_Strds_NM_PS.pdf)

873

874 American Society of Radiologic Technologists. Nuclear Medicine Practice Standards.

875 [://www.asrt.org/media/pdf/standards\\_nm.pdf](http://www.asrt.org/media/pdf/standards_nm.pdf). Last accessed January 19, 2012.

876

877 Blondeau K, Harten S, Pickett M, Bridges J. Critical Task Analysis Report. Tucker,  
878 Georgia: Nuclear Medicine Technology Certification Board; 2000.

879

880 Bureau of Labor Statistics. Occupational Outlook Handbook, 2010-11 Edition. Nuclear  
881 Medicine

882 Technologists. [://www.bls.gov/oco/ocos104.htm](http://www.bls.gov/oco/ocos104.htm)

883

884 Glossary of Molecular Imaging Terms [://interactive.snm.org/index.cfm?PageID=11120](http://interactive.snm.org/index.cfm?PageID=11120)

885

886 Joint Review Committee on Educational Programs in Nuclear Medicine  
887 Technology. Accreditation Standards for Nuclear Medicine Technologist  
888 Education.

889 [://jrcnmt.org/sites/jrcnmt/uploads/documents/Accred](http://jrcnmt.org/sites/jrcnmt/uploads/documents/Accred)

890 [\\_Policy\\_Documents/Standards10\\_2011.pdf](http://jrcnmt.org/sites/jrcnmt/uploads/documents/Accred_Policy_Documents/Standards10_2011.pdf). Published 2010. Updated May 2011. Last  
891 accessed January 19, 2012.

892

893 Nuclear Medicine Technology Certification Board. Components of Preparedness. Nuclear  
894 Medicine Exam: Components of Preparedness. [://www.nmtcb.org/exam/cops.php](http://www.nmtcb.org/exam/cops.php). Updated  
895 2009. Last accessed January 19, 2012.

896

897 Nuclear Medicine Technology Certification Board (NMTCB) Report: Equipment and

- 898 Procedures in Current Practice (2002).  
899  
900 Performance and Responsibility Guidelines for the Nuclear Medicine Technologist,  
901 Socio- Economic Affairs Committee, SNMITS (September 1994).  
902  
903 Performance and Responsibility Guidelines for the Nuclear Medicine Technologist,  
904 Socio- Economic Affairs Committee, SNMITS (September 1998).  
905  
906 SNMITS Socioeconomic Affairs Committee. Performance and Responsibility Guidelines for  
907 the  
908 Nuclear Medicine Technologist. *J Nucl Med Technol.* 2003;31:222–229.  
909  
910 SNMITS Scope of Practice Task Force. Nuclear Medicine Technologist Scope of Practice  
911 (September 2008).  
912  
913 SNMITS Educators Task Force Curriculum Subcommittee. NMT Entry-Level Curriculum  
914 Guide,  
915 4th Edition (August 2008).  
916  
917 SNMITS Position Paper. Baccalaureate Degree proposed as entry level educational  
918 requirements.  
919 2005. [://interactive.snm.org/index.cfm?PageID=4715](http://interactive.snm.org/index.cfm?PageID=4715)
- 920 Performance and Responsibility Guidelines for the Nuclear Medicine Technologist,  
921 Socio- Economic Affairs Committee, SNMITS (September ).  
922  
923 SNMITS Socioeconomic Affairs Committee. Performance and Responsibility Guidelines for  
924 the  
925 Nuclear Medicine Technologist. *J Nucl Med Technol.* ; : – .  
926  
927 SNMITS Scope of Practice Task Force. Nuclear Medicine Technologist Scope of Practice  
928 (September ).  
929  
930 SNMITS Educators Task Force Curriculum Subcommittee. NMT Entry-Level Curriculum  
931 Guide,  
932 th Edition (August ).  
933  
934 SNMITS Position Paper. Baccalaureate Degree proposed as entry level educational  
935 requirements.  
936 . [://interactive.snm.org/index.cfm?PageID=](http://interactive.snm.org/index.cfm?PageID=)